




Southwire®

HVAC

SELECTION GUIDE






Southwire®

WHIPS

SOUTHWIRE STOCK NO.	SIZE	# / COND. SIZE	LENGTH (FT)	CASE QTY.
NON-METALLIC HOOKUP WHIPS, GRAY				
55311201	1/2"	3 X #10 AWG	4	6
55189407	1/2"	3 X #10 AWG	6	8
55311401	3/4"	2 X 8 AWG + 10 AWG	4	6
55189307	3/4"	2 X 8 AWG + 10 AWG	6	4



55189407



55311201

POWER SUPPLY CORDS

SOUTHWIRE STOCK NO.	DESCRIPTION	CASE PACK
VINYL CONSTRUCTION		
9703SW8808	3' 16/3 SJTW Power Supply Cord - Vinyl Construction (Black)	25
9706SW8808	6' 16/3 SJTW Power Supply Cord - Vinyl Construction (Black)	25
9709SW8808	9' 16/3 SJTW Power Supply Cord - Vinyl Construction (Black)	25
9716SW8808	6' 14/3 SJTW Power Supply Cord - Vinyl Construction (Black)	25
9719SW8808	9' 14/3 SJTW Power Supply Cord - Vinyl Construction (Black)	25
SPT-3 CONSTRUCTION		
9724SW8809	4' 16/3 SPT-3 R/Angle Power Supply Cord - Flat SPT-3 Construction (Grey)	25
9726SW8809	6' 16/3 SPT-3 R/Angle Power Supply Cord - Flat SPT-3 Construction (Grey)	25
9733SW8809	3' 16/3 SPT-3 Straight Power Supply Cord - Flat SPT-3 Construction (Grey)	25
9736SW8809	6' 16/3 SPT-3 Straight Power Supply Cord - Flat SPT-3 Construction (Grey)	25
9746SW8823	6' 14/3 SPT-3 Straight Power Supply Cord - Flat SPT-3 Construction (Beige)	25
98700009	Repl Cord, 12/3 SPT-3 6' Beige SW	25
WATER & OIL RESISTANT CONSTRUCTION		
9855SW0008	6' 16/3 SJE00W Power Supply Cord - Water and Oil Resistant (Black)	50
9856SW0008	9' 16/3 SJE00W Power Supply Cord - Water and Oil Resistant (Black)	50
9857SW0008	6' 14/3 SJE00W Power Supply Cord - Water and Oil Resistant (Black)	25
9858SW0008	9' 14/3 SJE00W Power Supply Cord - Water and Oil Resistant (Black)	25



9716SW8808



9857SW0008



9743SW8823

**BUILT FOR DURABILITY.
BUILT FOR RELIABILITY.
BUILT FOR WORK.™**

1-855-798-6657 | SOUTHWIRE.COM

©2026 Southwire Company, LLC. All rights reserved.
*Registered Trademark & ™Trademark of Southwire Company, LLC.



Southwire®

EXTENSION CORDS

SOUTHWIRE STOCK NO.	DESCRIPTION	CASE PACK
12/3 SJEOW COLD SUPREME EXTENSION CORDS WITH LIGHTED ENDS		
1638SW0061	50' 12/3 SJEOW Polar/Solar® Supreme Cold Weather Extension Cord (Blue with White Stripe)	6
1639SW0061	100' 12/3 SJEOW Polar/Solar® Supreme Cold Weather Extension Cord (Blue with White Stripe)	4
12/3 SJE00W POLAR/SOLAR EXTENSION CORDS WITH LIGHTED ENDS		
1688SW0002	50' 12/3 SJE00W Polar/Solar® Standard Extension Cord (Yellow)	6
1689SW0002	100' 12/3 SJE00W Polar/Solar® Standard Extension Cord (Yellow)	4
14/3 SJE00W POLAR/SOLAR EXTENSION CORDS WITH LIGHTED ENDS		
1488SW0002	50' 14/3 SJE00W Polar/Solar® Standard Extension Cord (Yellow)	6
1489SW0002	100' 14/3 SJE00W Polar/Solar® Standard Extension Cord (Yellow)	6
14/3 SJTW LOW TEMP EXTENSION CORDS WITH LIGHTED ENDS		
2488SW8804	50' SJTW 14/3 Outdoor Extension Cord w/ Lighted End (Red)	6
2489SW8804	100' SJTW 14/3 Outdoor Extension Cord w/ Lighted End (Red)	6
12/3 SJTW LOW TEMP EXTENSION CORDS WITH LIGHTED ENDS		
2588SW0002	50' SJTW 12/3 Outdoor Extension Cord w/ Lighted End (Yellow)	6
2589SW0002	100' SJTW 12/3 Outdoor Extension Cord w/ Lighted End (Yellow)	4
12/3 SJTW MADE IN USA EXTENSION CORDS WITH LIGHTED ENDS		
2548SWUSA1	50' 12/3 SJTW Stripes & Cool Colors® Outdoor Extension Cord (Red, White, Blue)	6
2549SWUSA1	100' 12/3 SJTW Stripes & Cool Colors® Outdoor Extension Cord (Red, White, Blue)	4
12/3 SJTW TRI-SOURCE EXTENSION CORDS WITH LIGHTED ENDS		
4188SW8802	50' SJTW 12/3 Three-Way Power Block w/ Lighted End (Yellow)	6
4189SW8802	100' SJTW 12/3 Three-Way Power Block w/ Lighted End (Yellow)	4

*More length, color, & construction options available upon request.



1639SW0061



1688SW0002



1489SW0002



2589SW0002



2548SWUSA1



4188SW8802



2469SW8806

**BUILT FOR DURABILITY.
BUILT FOR RELIABILITY.
BUILT FOR WORK.™**

1-855-798-6657 | [SOUTHWIRE.COM](https://www.southwire.com)

©2026 Southwire Company, LLC. All rights reserved.
*Registered Trademark & ™Trademark of Southwire Company, LLC.



Southwire®

SOUTHWIRE FITTINGS, STRAPS, HOOKS, SUPPORT, & FLEXIBLE CONDUIT

SOUTHWIRE STOCK NO. MODEL NO.	DESCRIPTION	CARTON QTY
EMT SET SCREW BOX CONNECTORS - STEEL		
631S	1/2" EMT Set Screw Connector Steel	50
632S	3/4" EMT Set Screw Connector Steel	25
631Si	1/2" Set Screw Connector Steel Insulated	50
632Si	3/4" Set Screw Connector Steel Insulated	25
EMT SET SCREW COUPLINGS - STEEL		
641S	1/2" EMT Set Screw Coupling Steel	50
642S	3/4" EMT Set Screw Coupling Steel	25
EMT COMPRESSION COUPLINGS - STEEL		
661S	1/2" EMT Compression Coupling Steel	25
662S	3/4" EMT Compression Coupling Steel	25
EMT COMPRESSION BOX CONNECTORS - STEEL		
651S	1/2" EMT Compression Connector Steel	25
652S	3/4" EMT Compression Connector Steel	25
651Si	1/2" EMT Compression Connector Steel Insulated	25
652Si	3/4" EMT Compression Connector Steel Insulated	25
EMT RAINHTIGHT COMPRESSION CONNECTORS - STEEL		
651SRT	1/2" Raintight Compression Connector Steel	25
652SRT	3/4" Raintight Compression Connector Steel	25
651SiRT	1/2" Raintight Compression Connector Steel	25
652SiRT	3/4" Raintight Compression Connector Steel	25
EMT RAINHTIGHT COMPRESSION COUPLINGS - STEEL		
661SRT	1/2" Raintight Compression Coupling Steel	25
662SRT	3/4" Raintight Compression Coupling Steel	25
TWO-SCREW BOX CONNECTORS - ZINC		
120	3/8" Romex® Brand Connector Nm	100
130TZ	3/8" BX Connector	100
L-104	3/4" RX Cable Conn	50
TILT-IN CABLE BOX CONNECTORS - ZINC		
441	1/2" 2pc Romex® Brand Connector	100
442	3/4" 2pc Romex® Brand Connector	50
444	1-1/4" 2pc Romex® Brand Connector	25
445	1-1/2" 2pc Romex® Brand Connector	25
EZ-IN MINI-SPLIT CONNECTORS		
64235201	Connector, 1/2" Steel Zinc Plated Teck50	25
64275801	Connector, 90° Teck5090	15



631S



641S



661S



651Si



651SRT



130TZ



441



64235201

**BUILT FOR DURABILITY.
BUILT FOR RELIABILITY.
BUILT FOR WORK.™**

1-855-798-6657 | SOUTHWIRE.COM

©2026 Southwire Company, LLC. All rights reserved.
*Registered Trademark & ™Trademark of Southwire Company, LLC.



Southwire®

SOUTHWIRE FITTINGS, STRAPS, HOOKS, SUPPORT, & FLEXIBLE CONDUIT

SOUTHWIRE STOCK NO. MODEL NO.	DESCRIPTION	CARTON QTY
NON-METALLIC LIQUID-TIGHT BOX CONNECTORS STRAIGHT		
P471	1/2" Liquid-tight Connector Straight Plastic	25
P472	3/4" Liquid-tight Connector Straight Plastic	10
1501	1/2" Liquid-tight Connector Straight Nonmetallic	25
1502	3/4" Liquid-tight Connector Nonmetallic STR.-25/1	25
NON-METALLIC LIQUID-TIGHT BOX CONNECTORS 90°		
P491	1/2" Liquid-tight Connector 90° Plastic	10
P492	3/4" Liquid-tight Connector 90° Plastic	10
1521	1/2" Liquid-tight Connector 90° One Pc	10
1522	3/4" Liquid-tight Connector 90° One Pc	10
METALLIC LIQUID-TIGHT BOX CONNECTORS STRAIGHT - MALLEABLE IRON		
471S	1/2" Liquid-tight Connector Straight Malleable	20
472S	3/4" Liquid-tight Connector Straight Malleable	10
474S	1-1/4" Liquid-tight Connector Straight Malleable	5
METALLIC LIQUID-TIGHT BOX CONNECTORS 90° - MALLEABLE IRON		
491S	1/2" Liquid-tight Connector 90° Malleable	10
492S	3/4" Liquid-tight Connector 90° Malleable	10
494S	1-1/4" Liquid-tight Connector 90° Malleable	2
ONE-HOLE STRAPS FOR ROMEX® BRAND NMSC - STEEL		
510RX	Romex® Brand 1-Hole Strap	100
ONE-HOLE STRAPS FOR EMT CONDUIT - STEEL		
511	1/2" EMT 1-Hole Strap	100
512	3/4" EMT 1-Hole Strap	100
513	1" EMT 1-Hole Strap	50
AC/MC 1-HOLE STRAPS		
510BX	BX 1-Hole Strap	100
1101TC	1/4" Mini Strap	100
ANTI-SHORT BUSHING		
TZ0	5/16" A-Short #0 35-Pcs Per Bag	500
FLEXIBLE CONDUIT		
HF112	1/2" Top-Flex Conduit 100' Pk	1
HF134	3/4" Top-Flex Conduit 100' Pk	1



P471



P491



661S



471S



491S



510RX



511



510BX



HF112



510BX

**BUILT FOR DURABILITY.
BUILT FOR RELIABILITY.
BUILT FOR WORK.™**

1-855-798-6657 | SOUTHWIRE.COM

©2026 Southwire Company, LLC. All rights reserved.
*Registered Trademark & ™Trademark of Southwire Company, LLC.



Southwire®

BOXES & COVERS

SOUTHWIRE STOCK NO.	DESCRIPTION	CASE PACK
4" X 2" HANDY/UTILITY BOX		
G19281	4" x 2" Handy Box Drawn 1-7/8" Deep (10) 1/2" KO	50
G19281-AB	4" x 2" Handy Box Welded 1-7/8" Deep 1/2" KO AB Bracket	50
G19282	4" x 2" Handy Box Drawn 2-1/8" Deep (10) 1/2" KO	50
4" SQUARE BOX		
52151-1/2DR	4" Square Box Drawn 1-1/2" Deep 1/2" KO	50
52151-S	4" Square Box Welded 1-1/2" Deep 1/2-3/4" KO	50
52171-SDR	4" Square Box Drawn 2-1/8" Deep 1/2-3/4" KO	25
52171-S	4" Square Box Welded 2-1/8" Deep 1/2-3/4" KO	25
4" SQUARE, INDUSTRIAL EXPOSED WORK COVERS		
G1935	4" Square Exposed Work Cover Toggle	50
G1936	4" Square Exposed Work Cover (2) Toggle	50
G1941	4" Square Exposed Work Cover Toggle/Duplex	50
G1948	4" Square Exposed Work Cover Toggle/GFCI	50
G1939	4" Square Exposed Work Cover (2) Duplex	50
BP-1935	4" Square Exposed Work Cover Gas Burner/Red Toggle	25
BP-1936	4" Square Exposed Work Cover (2) Toggle	25
BPO-1935	4" Square Exposed Work Cover Oil Burner/Red Toggle	25
BPO-1936	4" Square Exposed Work Cover Oil Burn/Red (2) Toggle	100
4" X 2" HANDY/UTILITY BOX COVERS		
G19290	4" x 2" Handy Box Cover Blank	100
G19380	4" x 2" Handy Box Cover Duplex	100
G19350	4" x 2" Handy Box Cover Toggle	100
BP-19350	4" x 2" Handy Box Cover Gas Burn/Red Toggle	25
WEATHERPROOF JUNCTION BOX		
1221	4" x 4" x 2" Junction Box - Weatherproof	10
1227	8" x 8" x 4" Junction Box - Weatherproof	5
1231	12" x 12" x 6" Junction Box - Weatherproof	2
1232	16" x 14" x 6" Junction Box - Weatherproof	1
4" SQUARE COVERS		
BP-1936	4" Sq Exp Work Cvr Gas Burn/Red (2) Tggl	25
BPO-1935	4" Sq Exp Work Cvr Oil Burner/Red Toggle	25
BP-1935	4" Sq Exp Work Cvr Gas Burner/Red Toggle	50
54CBPO	4" Rnd Pan Box Cvr Tog Oil Burn Red Flat	25
BPO-1936	4" Sq Exp Work Cvr Oil Burn/Red (2) Tggl	100



G19281




52151-S



G1935



G19290



1221



BP-1936

**BUILT FOR DURABILITY.
BUILT FOR RELIABILITY.
BUILT FOR WORK.™**

1-855-798-6657 | SOUTHWIRE.COM

©2026 Southwire Company, LLC. All rights reserved.
*Registered Trademark & ™Trademark of Southwire Company, LLC.



Southwire®

J-HOOKS

SOUTHWIRE STOCK NO.	HOOK DIAMETER	BOX QTY.
GALVANIZED STEEL		
CAT12TZ*	3/4"	100
CAT21TZ*	1-5/16"	40
CAT32TZ*	2"	50
CAT64TZ*	4"	25
JHK-84**	6"	25
STAINLESS STEEL		
JHK-12SS**	3/4"	50
JHK-21SS**	1-5/16"	50
JHK32SS**	2"	50
JHK-64SS**	4"	25

Load Limits apply to fastener only. Anchor must be evaluated separately
*cULus Listed, **UL listed, JHK-84- no UL



CAT12TZ



CAT64TZ




JHK-12SS



JHK32SS

BEAM CLAMPS

SOUTHWIRE STOCK NO.	ROD SIZE	JAW OPENING	BOX QTY.
ZINC PLATED STEEL			
BC-1024*	10 - 24	.59"	100
BC200TZ**	1/4" - 20	.59"	100
BC400TZ**	3/8" - 16	.94"	50
316 STAINLESS STEEL			
BC-1420-SS*	1/4" - 20	.59"	100
BC-3816-SS*	3/8" - 16	.94"	25



BC-1024



BC-3816-SS

**BUILT FOR DURABILITY.
BUILT FOR RELIABILITY.
BUILT FOR WORK.™**

1-855-798-6657 | [SOUTHWIRE.COM](https://www.southwire.com)

©2026 Southwire Company, LLC. All rights reserved.
*Registered Trademark & ™Trademark of Southwire Company, LLC.



Southwire®

BEAM CLAMP-SPRING STEEL


SOUTHWIRE STOCK NO.	STATIC LOAD (LBS.)	BOX QTY.	A	B	C
BCTZ	100	100	1.42"	1.18"	.63"



BCTZ

BEAM CLAMP-MALLEABLE IRON

SOUTHWIRE STOCK NO.	SIZE	JAW OPENING	SIDE/BOTTOM THREADED HOLES	BOX QTY.
26	1"	3/4"	1/4" - 20	50
27	2"	7/8"	3/8" - 16	10
29	2-1/2"	1-3/16"	1/2" - 13	10



26

BRIDLE RINGS

SOUTHWIRE STOCK NO.	DIAMETER	BOX QTY.
ZINC PLATED STEEL		
BR-501024*	1/2"	100
2BRT12TZ**	3/4"	100
BR-1001024*	1"	100
2BRT20TZ**	1-1/4"	100
BR-1501024*	1-1/2"	100
2BRT32TZ**	2"	100
4BRT20TZ**	1-1/4"	100
BR-150*	1-1/2"	100
4BRT32TZ**	2"	100
4BRT64TZ**	4"	50
316 STAINLESS STEEL		
BR-125-SS*	1-1/4"	100
BR-150-SS*	1-1/2"	100
BR-200-SS*	2"	100
BR-400-SS*	4"	50



BR-501024



4BRT20TZ



BR-1001024



BR-125-SS



BR-200-SS



BR-400-SS

**BUILT FOR DURABILITY.
BUILT FOR RELIABILITY.
BUILT FOR WORK.™**

1-855-798-6657 | [SOUTHWIRE.COM](https://www.southwire.com)

©2026 Southwire Company, LLC. All rights reserved.
*Registered Trademark & ™Trademark of Southwire Company, LLC.



Southwire®

HAND TOOLS

SOUTHWIRE STOCK NO. MODEL NO.	DESCRIPTION	CASE PACK
ROTO-SPLIT®		
66979340 MCCUT-WW	BX MC Rotary Cutter w/ Lever, Wounded Warrior Project® - Replaced Model # MCCUT	2
66978140 RS-101A-WW	Super Roto-Split®, Wounded Warrior Project® - Replaced Model # RS-101A	2
66978440 RS-101AC-WW	Automatic Roto-Split®, Wounded Warrior Project® - Replaced Model # RS-101AC	2
CUTTING		
58282040 CONCUR	Cutter, Conduit Scoring	3
WIRE STRIPPING		
58278040 S1018SOL	Cutter, Wire Stripper 10-18 SOL 12-20 STR Ergo	5
58278140 S1018STR	Cutter, Compact Stripper 10-18 AWG SOL	5
58278240 S1626STR	Cutter, Compact Stripper 16-26 AWG Stranded	5
58278640 SA822	Automatic Wire Stripper 8-18 AWG Solid 10-20 AWG Stranded	6
SIDE CUTTING PLIERS		
65028940 SCP9TPCB	SCP9TPCB, 9" Side Cut Combo Plier (TRI)	6
67038040 SCP9TPCD-WW	9" Side Cutting Plier, Fish Tape Puller, Crimper, Dip Grip, Wounded Warrior Project®	6
67038340 DCPA8D-WW	8" Diagonal Cutting Pliers, Angled Head, Dip Grip, Wounded Warrior Project®	6
APPRENTICE TOOL KITS		
59158740 EKIT-4	EKIT-4, Elec Wire Tool Kit-New Grip	2



MCCUT-WW



CONCUR



S1018STR



14PKIT

**BUILT FOR DURABILITY.
BUILT FOR RELIABILITY.
BUILT FOR WORK.™**

1-855-798-6657 | SOUTHWIRE.COM

©2026 Southwire Company, LLC. All rights reserved.
*Registered Trademark & ™Trademark of Southwire Company, LLC.



Southwire®

TESTERS & METERS

SOUTHWIRE STOCK NO. MODEL NO.	DESCRIPTION	CASE PACK
VOLTAGE DETECTORS & TESTERS		
63020740 40150N	Tester, NCVT Adv Dual 40150N	6
MULTIMETERS		
63028740 14060S	Multimeter, Auto Technician Pro® 14060S	3
63018240 14070T	Multimeter, Auto Technician Pro® 14070T	3
63018440 14090T	Multimeter, Auto Technician Pro® 14090T	3
59686840 23090T	Clamp Meter, MaintenancePro™ 23090T	3
59686740 23070T	Clamp Meter, MaintenancePro™ 23070T	3
59686640 23030T	Clamp Meter, MaintenancePro™ 23030T	3
INFRARED THERMOMETERS		
65111840 31212S	31212S, 93°F 12:1 IR Therm 2 Laser	2



40150N



14060S



65111840

**BUILT FOR DURABILITY.
BUILT FOR RELIABILITY.
BUILT FOR WORK.™**

1-855-798-6657 | SOUTHWIRE.COM

©2026 Southwire Company, LLC. All rights reserved.
*Registered Trademark & ™Trademark of Southwire Company, LLC.